



*Customized Performance * Innovative Expertise*

NAXCHEM[®] DDB-590L

Product Information Sheet

LINEAR ALKYL BENZENE

Description: . NEASE CORPORATION offers a line of specialty sulfonated intermediates under the trade name: NAXCHEM[®]. These products are key additives and building blocks in the manufacture of textiles, inks, dyes, plastics, agricultural chemicals and metal plating.

CAS #

129813-59-8

Typical Properties:

Appearance	Colorless Oily Liquid
pH	6.0 – 9.0
Specific Gravity @ 25°C	0.862 @ 16 °C
Density (lbs/gal)	7.17 lbs/gal
Flash Point, PM	Approximately 300°F (149°C)
Vapor Density (Air = 1)	8 - 10
Melting Point	< -65 °C (pour point)
Boiling Point, °F	297 - 315°C
Vapor Pressure	0.16 psi @ 38°C
Solubility in Water	Negligible
Auto Ignition Temp.	658°F (348°C)
Average Molecular Weight	252 – 258
Distillation Range	303 – 317 °C
2-Phenyl Isomer Content , %	10 - 20

Product Specifications:

Property	Specification
Appearance	Colorless Oily Liquid
Homolog Distribution, wt. %	
C ₁₀ & C ₁₁	7.0 Minimum
C ₁₃ & C ₁₄	60 - 80
Color (Saybolt)	29
Water, %	0.05 Maximum

Applications: Polymers and Coatings Catalysts

Storage and Handling: Keep container tightly closed when not in use. Prevent material from freezing.

Availability: 55 gallon drum

Chemical Control Law Status: All components of this product are listed or are excluded from listing on the U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

Transport Regulations

Shipping Description: DOT Non-Regulated
Hazard Class: NA ID Number: NA Packing Group: NA Label: none

NEASE CORPORATION
4480 Lake Forest Dr., Ste. 312, Cincinnati, OH 45242
Customer Service: 888-762-7373
www.neasecorp.com

Limited Warranty

The products sold by Nease Corporation ("Seller") shall conform to the Seller's current published specifications. Seller makes no other warranty, express or implied, including warranty of merchantability or fitness for particular use, whether product is used singly or in combination with other substances or in any process. Nothing contained herein should be considered as a recommendation for use of any product or method in violation invalid of any patent now effective or which may issue hereafter. Prior testing for fitness for use and compliance with all applicable statutes by the user is a strict condition on the sale of any and all of Seller's products.