



MATERIAL SAFETY DATA SHEET

Nease Corporation
10740 Paddys Run Road
Harrison, OH 45030
(513) 738-1255

Product Inquiries: (888)762-7373

Emergency: CHEMTREC 800-424-9300

SECTION 1 - PRODUCT INFORMATION

PRODUCT NAME: NAXAN® UFL
CHEMICAL NAME: Alkylated naphthalene sulfonate, sodium salt
CAS NUMBER: Trade Secret
PRODUCT CODE: 4671
MSDS NO.: 1-19100

ISSUE DATE: 07/12/05
SUPERSEDES: 06/24/04

SECTION 2 - HAZARD IDENTIFICATION

Appearance & Odor: Amber to brown liquid; hydrocarbon odor.

Primary Routes of Exposure: Skin and Eyes.

Health Hazard Warnings: CAUTION! May cause slight eye and skin irritation. Prolonged or repeated overexposure to mists may cause upper respiratory tract irritation.

Inhalation: Prolonged or repeated overexposure to mists may cause upper respiratory irritation.

Skin Contact: Prolonged or repeated skin contact may cause slight skin irritation.

Eye Contact: Contact with eyes can cause slight irritation.

Ingestion: May cause gastrointestinal irritation in the form of nausea and vomiting.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

| <u>CHEMICAL NAME</u> | <u>CAS REGISTRY NO.</u> | <u>PERCENT</u> |
|--|-------------------------|----------------|
| Alkylated naphthalene sulfonate, sodium salt | Non-hazardous | 45 - 55 |
| Proprietary surfactant | Trade Secret | < 5 |
| Water | 7732-18-5 | 45 - 55 |

SECTION 4 - FIRST AID MEASURES

Eyes: Immediately flush eyes with water for 10 - 15 minutes. Hold eyelids apart and roll eyes up and down to assure complete washing. Seek medical attention.

Skin: Remove contaminated clothing and equipment. Thoroughly flush the affected area with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.

Inhalation: Immediately move the patient to fresh air and call a physician. Keep patient quiet. If breathing is difficult, give oxygen. If not breathing, begin artificial respiration.

MATERIAL SAFETY DATA SHEET

Page 2 of 4

MSDS No.: 1-19100

SECTION 4 - FIRST AID MEASURES (CONT.)

Ingestion: Call a physician. Never give anything by mouth to an unconscious person. Induce vomiting only at the instruction of a doctor or nurse.

Other Specific Instructions: In the event of exposure, seek medical attention immediately. Do not give chemical antidotes unless directed to do so by the physician.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: > 200°F

Auto Ignition: No data available

Explosive Limits; UEL/LEL: No data available

Extinguishing Agents: Use carbon dioxide, foam, or dry chemical extinguishing agents

Fire & Explosion Hazards: As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Firefighters should wear recommended exposure control equipment including a self-contained breathing apparatus and full protective clothing. Cool containers exposed to flames with water spray.

Hazardous Combustion Products: Thermal decomposition produces oxides of sulfur and carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Protective Equipment: Appropriate protective equipment must be worn when handling a spill of **NAXAN® UFL**. See Section 8-Exposure Control, for recommendations.

Spill or Leak: Absorb the spill with an inert material (vermiculite, sand, etc.). Sweep or scoop material into containers for disposal. Flush area with plenty of water. Collect water for proper disposal.

SECTION 7 - HANDLING AND STORAGE

Handling Conditions: Emptied container may retain product residues. Follow all warnings and precautions even after container is emptied. This product may contain trace levels of Ethylene Oxide (78-21-8) which may accumulate in the headspace of shipping and storage containers. Users should monitor personnel to determine levels of exposure and take appropriate action to protect employees and to comply with the OSHA standard.

Storage Conditions: Keep container tightly closed when not in use. Store between 40 °F and 120 °F.

SECTION 8 - EXPOSURE CONTROL

Eye Protection: Use chemical safety goggles.

Skin Protection: Skin contact with material should be minimized through the use of suitable impervious gloves. Natural rubber or neoprene gloves are recommended.

Respiratory Protection: Not required under normal use. If mists can be generated, wear a NIOSH/MSHA approved dust/mist respirator for the mist concentrations at the point of use.

Ventilation: Good local exhaust ventilation should be provided.

MATERIAL SAFETY DATA SHEET

Page 3 of 4

MSDS No.: 1-19100

SECTION 8 - EXPOSURE CONTROL (CONT.)

Other Protective Equipment: Safety showers and eye wash stations where material is being handled. Wash hands and face before eating, using tobacco products or using the washroom. Smoke or eat only in designated areas. Take a warm shower and change clothing daily. Clothing and shoes used while handling this material should not be worn or taken away from the workplace.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Amber to brown liquid

Odor: Hydrocarbon odor

Melting Point: No data available

Boiling Point: 212°F

Evaporation Rate (butyl acetate=1): < 1.0

pH: 7.5 – 10.5 (5% aqueous solution)

Vapor Pressure (mm Hg): < 1

Vapor Density (Air=1): No data available

Specific Gravity/Density: No data available

Solubility in Water: Soluble

Flash Point: > 200°F

Auto Ignition: No data available

SECTION 10 -STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and handling.

Incompatibility: Avoid acids and strong oxidizers.

Possibility of Hazardous Reactions: Not expected to occur.

Decomposition: When heated to decomposition, may emit toxic oxides of sulfur and carbon.

SECTION 11 -TOXICOLOGICAL INFORMATION

Acute Data: The information shown in Section 3- Hazard Identification is based on toxicity profiles of similar material or on the components present in this material.

Sensitization: Alkylated naphthalene sulfonate, sodium salt is not known to cause sensitization.

Carcinogenicity/Mutagenicity: Alkylated naphthalene sulfonate, sodium salt is not considered to be a human or animal carcinogen.

Teratogenicity/Reproductive Toxicity: Alkylated naphthalene sulfonate, sodium salt is not known to cause teratogenicity or reproductive toxicity.

SECTION 12 -ECOLOGICAL INFORMATION

Ecotoxicological Data: The ecological toxicity of this product is not known. This material should be considered toxic to fish.

MATERIAL SAFETY DATA SHEET

Page 4 of 4

MSDS No.: 1-19100

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal: This product if discarded as supplied, is considered non-hazardous as defined by RCRA. Dispose in accordance with local, state, and federal regulations for waste disposal.

SECTION 14 - TRANSPORT CONSIDERATIONS

Shipping Description: DOT Non-Regulated

Hazard Class: NA

ID No.: NA

PG: NA

Labels: None

SECTION 15 - REGULATORY CONSIDERATIONS

OSHA Regulatory Status: This product is a hazardous chemical under 29 CFR 1910.1200

SARA Title III

Section 311/312: This product is categorized as an immediate health hazard according to EPA under Section 311/312 of SARA

Section 313: This product contains the following chemicals subject to 313 reporting:

Glycol Ether Category – "Proprietary surfactant"; see Section 2

CERCLA

Not applicable

Pennsylvania Right-to-Know:

Not applicable

California Proposition 65: This product may contain trace chemicals known to the State of California to cause cancer.

| | | |
|----------------|-----------|------------|
| Ethylene Oxide | 75-21-8; | Carcinogen |
| 1,4 Dioxane | 123-91-1; | Carcinogen |

Chemical Control Law Status:

All components of this product are listed or are excluded from listing on the U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

WHMIS Ingredient Disclosure List: Not applicable

HMIS Health Rating: 1

HMIS Fire Rating: 0

HMIS Reactivity Rating: 0

HMIS Other: NA

SECTION 16 - OTHER CONSIDERATIONS

Prepared by Regulatory Staff Phone No.: (888) 762-7373

MSDS No.: 1-19100

Issue Date: 7/13/05

Emergency Phone No.: CHEMTREC 800-424-9300

This information is furnished free of charge and is based on technical data that Nease Corporation believes to be reliable. It is intended for use by trained persons having technical skill and at their own discretion and risk. Since conditions of use are outside our control, we make no warranties, expressed or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.