



*Customized Performance * Innovative Expertise*

NAXCHEM[®] Bisphenol S-98B

Product Information Sheet

4, 4'-Sulfonyldiphenol

Description: NEASE CORPORATION offers a line of specialty sulfonated intermediates under the trade name: NAXCHEM[®]. These products are key additives and building blocks in the manufacture of textiles, inks, dyes, plastics, agricultural chemicals and metal plating.

CAS #
80-09-1

Typical Properties:	Appearance	Light Tan powder
	pH	
	Specific Gravity @ 25°C	
	Density (lbs/gal)	
	Flash Point, PM	
	Vapor Density (Air = 1)	
	Melting Point	
	Boiling Point, °F	
	Vapor Pressure	
	Solubility in Water	
	Auto Ignition Temp.	
	Average Molecular Weight	
	Distillation Range	
	2-Phenyl Isomer Content , %	

Product Specifications:	Property	Specification
	Purity	98 Minimum
	2-4'-Bisphenol S, %	2.0 Maximum
	Moisture, %	0.5 Maximum
	Iron as Fe (ppm)	5 Maximum

Applications: Textile Dye Manufactue, Photographic Chemicals & Printing, Polymers and Coatings Catalysts

Storage and Handling: Keep container tightly closed when not in use.

Handling:

Availability: 55 pound bags

Chemical Control Law Status: The components of this product are in compliance with the inventory listing requirements of the Chemical Control Laws in the following countries: United States of America, Canada (DSL), China, Europe and Japan.

Transport Regulations

Shipping Description: DOT Non-Regulated
Hazard Class: NA ID Number: NA Packing Group: NA Label: none

NEASE CORPORATION
4480 Lake Forest Dr., Ste. 312, Cincinnati, OH 45242
Customer Service: 888-762-7373
www.neasecorp.com

Limited Warranty

The products sold by Nease Corporation ("Seller") shall conform to the Seller's current published specifications. Seller makes no other warranty, express or implied, including warranty of merchantability or fitness for particular use, whether product is used singly or in combination with other substances or in any process. Nothing contained herein should be considered as a recommendation for use of any product or method in violation invalid of any patent now effective or which may issue hereafter. Prior testing for fitness for use and compliance with all applicable statues by the user is a strict condition on the sale of any and all of Seller's products.